

## Agasthya 2021 Series Conductivity Sensor Model BI1330-S-T-K0.01



(Note : This is reference image)

### Features:

- Measuring specific Conductivity of aqueous solutions is becoming increasingly important for determining impurities in water
- Conductivity sensor works on Measurement principle of Electrode method (2-electrode type)
- Conductivity sensor is designed in such a way that can handle these measurements even in extreme conditions
- Conductivity Sensor Ensures optimal performance in monitoring conductivity level
- Easy to install for various online monitoring systems

**Technical Specification:**

<b>General</b>	Measurement Range: 0-200 $\mu$ S Cell Constant: 0.01 Electrode material: 2 Electrode probe
<b>Physical</b>	Sensor Material: SS316L Cable Length: Standard 5m cable, Customize length available
<b>Environmental</b>	Temperature range: (-)10 - 150°C Temperature Compensation: Pt1000 Temperature Accuracy: $\pm$ 0.5°C
<b>Performance</b>	Process Connection: 3/4" NPT IP Rating: IP68
<b>Application</b>	Effluent Groundwater Pharma Application Chemical Industry Petroleum Application

**Head Office :**

409, 4th Floor, Avior (Nirmal Galaxy),  
Next to Deep Mandir, Opp. Johnson & Johnson,  
L.B.S. Marg, Mulund (W), Mumbai - 400080.

**Manufacturing Unit :**

201, 207, 208, G Wing, Udyog Bhavan No.: 2,  
Plot No.: K-3, Additional Ambarnath MIDC,  
Ambarnath-East-421506, Dist.: Thane,  
Maharashtra.

Phone : + 91-22-25916858, 25916916 Cell : +91 8693050520

Email : [sales@bhoomiltd.com](mailto:sales@bhoomiltd.com), [service@bhoomiltd.com](mailto:service@bhoomiltd.com)

Website : [www.bhoomiltd.com](http://www.bhoomiltd.com)